What can I do as a parent???

- Keep pesticides locked away & out of reach of children
- Keep pesticides in their original labeled container
- Keep children out of the house during spraying and air out before entering
- Know the signs and symptoms
- If your child has pesticide poisoning:
- 1. Go to a doctor/clinic immediately!
- 2. Take the label or pesticide with you!!!
- 3. Prevent it from happening again!!!

For all poisoning emergencies, **24/7**, contact the:

Poisons Information Helpline 0861 555 777





CHILD ACCIDENT PREVENTION FOUNDATION OF SOUTHERN AFRICA

Did you know???

- Pesticide labels tell you how dangerous they are. Look for the colour code on the front of this pamphlet & match it with the colour strip on the pesticide container.
- Pesticides can cause cancer, behavioural problems, allergies & asthma.
- Pesticides stay in the environ-
- ment for many years.
- Pregnant woman should avoid use of or exposure to all pesticides.
- Unlabelled pesticides are very dangerous.
- Pesticides sold by street vendors
- can be illegal & very toxic.







What are pesticides???

- Any chemical used to **KILL** mice, rats, ants, bedbugs, fleas, cockroaches & other pests.
- These are harmful to CHILDREN, animals and the environment!

Where are pesticides found???



-Home:

- Unmarked bottles of cockroach poison & chalks
- Room & beds sprayed with *Doom* and other sprays.
- Rat poisons
- Pest shampoos & sprays
- Lice shampoos

-Garden:

- Recently sprayed plants & lawn
- Empty/expired products lying around.

-Your NEIGHBOUR'S garden and home!

Why is my CHILD at risk???

- Their bodies are smaller and can't handle the pesticide.
- Their brains are still growing and the chemicals can affect their growth.
- They are vulnerable because:
- -They are close to the ground.
- -They put their hands in their mouths a lot & eat what they find.
- -They do not know how dangerous the pesticides are.

How are they exposed???

- Through the mouth e.g. eating food with rat poison/drinking bottles they find under the bed.
- Through the skin e.g. sleeping on beds that have been sprayed for bugs
- **3.** Breathing it in e.g. left in a room that has been sprayed.

Is your child...

- Vomiting
- Diarrhoea
- Drooling
- Tiredness
- Coughing
- Sweating and fever
- Shaking
- Eyes rolling back in the head
- Cannot walk

... she/he may be POISONED!!!

(Turn over the page to see what you can do.)

What else can I use?

-For cockroaches & other insects: Mix borax,& sugar on an old jar lid. Put out of children's reach.

-For rats: Cover up all the places they can come in. Keep the rubbish closed. Use two rat traps per home

-For ants: Put peppermint toothpaste or borax where the ants are.

WARNING: Borax is toxic if eaten!